



A multiple drum puller, the Wagner-Smith Equipment Co. **Model T-4DP-130-FT4** can be used in a wide range of Transmission stringing applications.

Both simple to operate and easy to maintain, the Model T-4DP-130-FT4 is another innovative product designed and developed to meet the changing needs of the power line construction industry.

### STANDARD FEATURES

- Engine 115 hp Final Tier IV John Deere water-cooled
- Fuel Tank 19 gallons
- Hydraulic Tank 40 gallons
- Levelwind Post type with swing-out top roller, hydraulically operated from control stand
- Front Hitch Adjustable 3" lunette eye
- Electrical Connection 7-pole plug with spring cable
- Suspension Leaf Spring
- Tandem Axles 22,500 lbs. capacity per axle
- Tires 255/70R 22.5 load range "H"
- Brakes Air brakes with ABS front axle
- Front Jack Manual 2-speed crank type
- Rear Jacks Manual drop pin type
- Wheel Chocks Stored at rear
- Tie Downs 3½" I.D. ears
- Grounding Lugs Mounted Front & Rear
- Lighting DOT regulation (LED)
- Vandalism Package



Integrated touch screen allows operator easy access to controls, system/usage data and equipment manuals.

### OPTIONS AVAILABLE

- Hydraulic Operated Front and Rear Jacks
- Skid Frame



### MODEL T-4DP-130-FT4 SPECIFICATIONS

#### UNIT PERFORMANCE ( standard pulling reel)

- Line Speed (average) 5.5 mph
- Full Drum Line Rating 3,700 lbs. w / 5/8" synthetic rope  
4,100 lbs. w / 7/16" Amsteel® Blue  
3,920 lbs. w / 3/8" Amsteel® Blue

*The above figures are for a single drum pulling. Levelwind is designed for pulling with one drum at a time.*

#### STANDARD PULLING REEL

- Quantity Four (4)
- Diameter (OD) 64"
- Inside Width 22"
- Core Diameter 20"
- Approx. Line Capacity 16,500' of 5/8" synthetic rope  
22,000' of 3/8" Amsteel® Blue  
22,000' of 7/16" Amsteel® Blue

#### DIMENSIONS & WEIGHT

- Unit Length 24'6.5"
- Unit Width 8'
- Unit Height 12' 5.5" when operated  
10' 6.5" when transported
- Net Weight w/o Rope 22,820 lbs.
- GVWR 36,717 lbs.
- GAWR 34,000 lbs.
- Tongue Weight 2,832 lbs.